Tire Science and Technology
Index to Volume 26
1998

Number	Months	Pages
1	Jan.–Mar.	1– 62
2	Apr.–Jun.	63–130
3	Jul.–Sep.	131–206
4	Oct.–Dec.	207–286

A

Abrasion
  Effects of carbon black and process oil on viscoelastic properties and tire wet skid resistance (Takino, Takahashi, Yamano, and Kohjiya), Oct.–Dec., 241
Acoustic transfer functions
  Structure-borne vibration transmission in a tire and wheel assembly (Lee, Pham, and Moore), Jul.–Sep., 173
Acousto-ultrasonics
  A prototype instrument to evaluate fatigue damage in the sidewalls of steel-belted radial truck tires (dos Reis and Golko), Jan.–Mar., 36
Agricultural tire
  A finite element system for the hierarchical design of agricultural tires (Fodor, Kriston, Nandori, Sarkozi, and Szabo), Oct.–Dec., 222

B

Bead overheating
  Tire bead overheating in urban buses and trucks using drum brake systems (Costa, Natalini, Inglese, and Xavier), Jan.–Mar., 51
Becker, A., Dorsch, V., Kaliske, M., and Rothert, H: A material model for simulating the hysteretic behavior of filled rubber for rolling tires, Jul.–Sep., 132
Bernard, J.: *see* Hoffmeister, K. and Bernard, J.
BPST abrasion
  Effect of cohesion loss factor on wet skid resistance of tread rubber, (Takino, Isobe, Tobori, and Kohjiya), Oct.–Dec., 258
Brenner, F. C.: In memory of, Apr.–Jun., 129

C

Camber angle
  Influence of wheel alignment and tire characteristics on vehicle drift (Yamazaki, Fujikawa, Suzuki, and Yamaguchi), Jul.–Sep., 186
Carbon black
  Effects of carbon black and process oil on viscoelastic properties and tire wet skid resistance (Takino, Takahashi, Yamano, and Kohjiya), Oct.–Dec., 241
Chung, S. R., Lee, K. S., and Yu,

H. J.: A new paint test for the quantitative evaluation of irregular wear, Apr.–Jun., 120
Cohesion loss factor
Effect of cohesion loss factor on wet skid resistance of tread rubber, (Takino, Isobe, Tobori, and Kohjiya), Oct.–Dec., 258
Cold temperature
Electric vehicle traction and rolling resistance in winter (Shoop), Apr.–Jun., 64
Conicity
Influence of wheel alignment and tire characteristics on vehicle drift (Yamazaki, Fujikawa, Suzuki, and Yamaguchi), Jul.–Sep., 186
Contact
A finite element tire model and vibration analysis: a new approach (Zhang, Palmer, and Farahani), Jul.–Sep., 149
Transient dynamics of a tire rolling over small obstacles—A finite element approach with PAM-SHOCK (Kamoulakos and Kao), Apr.–Jun., 84
Cornering force
Tire cornering simulation using an explicit finite element analysis code (Koishi, Kabe, and Shiratori), Apr.–Jun., 109
Cornering power
Tire cornering simulation using an explicit finite element analysis code (Koishi, Kabe, and Shiratori), Apr.–Jun., 109
Costa, A. L. A., Natalini, M., Inglese, M. F., and Xavier, O. A. M.: Tire bead overheating in urban buses and trucks using drum brake systems, Jan.–Mar., 51

D

Delamination
A prototype instrument to evaluate fatigue damage in the sidewalls of steel-belted radial truck tires (dos Reis and Golko), Jan.–Mar., 36
Dorsch, V.: *see* Becker, A., Dorsch, V., Kaliske, M., and Rothert, H.
dos Reis, H. L. M. and Golko, P. J.: A prototype instrument to evaluate fatigue damage in the sidewalls of steel-belted radial truck tires, Jan.–Mar., 36
Drum brake
Tire bead overheating in urban buses and trucks using drum brake systems (Costa, Natalini, Inglese, and Xavier), Jan.–Mar., 51

E

Electric vehicle
Electric vehicle traction and rolling resistance in winter (Shoop), Apr.–Jun., 64
Explicit time integration
Transient dynamics of a tire rolling over small obstacles—A finite element approach with PAM-SHOCK (Kamoulakos and Kao), Apr.–Jun., 84

F

Farahani, A.: *see* Zhang, Y., Palmer, T., and Farahani, A.
FFT
A finite element tire model and vi-

bration analysis: a new approach (Zhang, Palmer, and Farahani), Jul.–Sep., 149
Finite element analysis
A finite element system for the hierarchical design of agricultural tires (Fodor, Kriston, Nandori, Sarkozi, and Szabo), Oct.–Dec., 222
A finite element tire model and vibration analysis: a new approach (Zhang, Palmer, and Farahani), Jul.–Sep., 149
A material model for simulating the hysteretic behavior of filled rubber for rolling tires (Becker, Dorsch, Kaliske, and Rothert), Jul.–Sep., 132
Effects of sipes on the viscous hydroplaning of pneumatic tires (Lee), Jan.–Mar., 23
Transient dynamics of a tire rolling over small obstacles—A finite element approach with PAM-SHOCK (Kamoulakos and Kao), Apr.–Jun., 84
Tire bead overheating in urban buses and trucks using drum brake systems (Costa, Natalini, Inglese, and Xavier), Jan.–Mar., 51
Tire cornering simulation using an explicit finite element analysis code (Koishi, Kabe, and Shiratori), Apr.–Jun., 109
Fiorentini, F.: *see* Orjela, G., Riva, G., and Fiorentini, F.
Fodor, E., Kriston, S., Nándori, F., Sárközi, L., and Szabó, T.: A finite element system for the hierarchical design of agricultural tires, Oct.–Dec., 222
Fujikawa, T.: *see* Yamazaki, S., Fujikawa, T., Suzuki, T., and Yamaguchi, I.

G

Genetic algorithm
Tread pitch arrangement optimization through the use of a genetic algorithm (Hoffmeister and Bernard), Jan.–Mar., 2
Golko, P. J.: *see* dos Reis, H. L. M. and Golko, P. J.

H

Heat transfer
Tire bead overheating in urban buses and trucks using drum brake systems (Costa, Natalini, Inglese, and Xavier), Jan.–Mar., 51
Hierarchical design
A finite element system for the hierarchical design of agricultural tires (Fodor, Kriston, Nandori, Sarkozi, and Szabo), Oct.–Dec., 222
Hoffmeister, K. and Bernard, J.: Tread pitch arrangement optimization through the use of a genetic algorithm, Jan.–Mar., 2
Hysteretic behavior
A material model for simulating the hysteretic behavior of filled rubber for rolling tires (Becker, Dorsch, Kaliske, and Rothert), Jul.–Sep., 132

I

Inglese, M. F.: *see* Costa, A. L. A.,

Natalini, M., Inglese, M. F., and Xavier, O. A. M.
Irregular wear
A new paint test for the quantitative evaluation of irregular wear (Chung, Lee, and Yu), Apr.–Jun., 120
Isobe, N.: *see* Takino, H., Isobe, N., Tobori, H., and Kohjiya, S.

K

Kabe, K.: *see* Koishi, M., Kabe, K., and Shiratori, M.
Kaliske, M: *see* Becker, A., Dorsch, V., Kaliske, M., and Rothert, H.
Kamoulakos, A. and Kao, B. G.: Transient dynamics of a tire rolling over small obstacles—A finite element approach with PAM-SHOCK, Apr.–Jun., 84
Kao, B. G.: *see* Kamoulakos, A. and Kao, B. G.
Kohjiya, S.: *see* Takino, H., Isobe, N., Tobori, H., and Kohjiya, S.
Kohjiya, S: *see* Takino, H., Takahashi, H., Yamano, K., and Kohjiya, S.
Koishi, M., Kabe, K., and Shiratori, M.: Tire cornering simulation using an explicit finite element analysis code, Apr.–Jun., 109
Kriston, S.: *see* Fodor, E., Kriston, S., Nándori, F., Sárközi, L., and Szabó, T.

L

Lee, J. J., Pham, H. Q., and Moore, J. A.: Structure-borne vibration transmission in a tire and wheel assembly, Jul.–Sep., 173
Lee, K. S.: Effects of sipes on the viscous hydroplaning of pneumatic tires, Jan.–Mar., 23
Lee, K. S.: *see* Chung, S. R., Lee, K. S., and Yu, H. J.

M

Moore, J. A.: *see* Lee, J. J., Pham, H. Q., and Moore, J. A.

N

Nándori, F.: *see* Fodor, E., Kriston, S., Nándori, F., Sárközi, L., and Szabó, T.
Natalini, M.: *see* Costa, A. L. A., Natalini, M., Inglese, M. F., and Xavier, O. A. M.
Noise reduction
Tread pitch arrangement optimization through the use of a genetic algorithm (Hoffmeister and Bernard), Jan.–Mar., 2

O

Orjela, G., Riva, G., and Fiorentini, F.: The Compression properties of tire reinforcements, Oct.–Dec., 208

P

Paint test
A new paint test for the quantitative evaluation of irregular wear

(Chung, Lee, and Yu), Apr.–Jun., 120
Palmer, T: see Zhang, Y., Palmer, T., and Farahani, A.
PAM-SHOCK
Transient dynamics of a tire rolling over small obstacles—A finite element approach with PAM-SHOCK (Kamoulakos and Kao), Apr.–Jun., 84
Pham, H. Q.: *see* Lee, J. J., Pham, H. Q., and Moore, J. A.
PICO abrasion
Effect of cohesion loss factor on wet skid resistance of tread rubber, (Takino, Isobe, Tobori, and Kohjiya), Oct.–Dec., 258
Pitch
Tread pitch arrangement optimization through the use of a genetic algorithm (Hoffmeister and Bernard), Jan.–Mar., 2
Plastic constitutive law
A material model for simulating the hysteretic behavior of filled rubber for rolling tires (Becker, Dorsch, Kaliske, and Rothert), Jul.–Sep., 132
Plysteer
Influence of wheel alignment and tire characteristics on vehicle drift (Yamazaki, Fujikawa, Suzuki, and Yamaguchi), Jul.–Sep., 186
Process oil
Effects of carbon black and process oil on viscoelastic properties and tire wet skid resistance (Takino, Takahashi, Yamano, and Kohjiya), Oct.–Dec., 241
Proving ground
A finite element tire model and vibration analysis: a new approach (Zhang, Palmer, and Farahani), Jul.–Sep., 149

R

Retreads
A prototype instrument to evaluate fatigue damage in the sidewalls of steel-belted radial truck tires (dos Reis and Golko), Jan.–Mar., 36
Ridha, R. A.: In memory of F. Cecil Brenner, Apr.–Jun., 129
Ride comfort
Transient dynamics of a tire rolling over small obstacles—A finite element approach with PAM-SHOCK (Kamoulakos and Kao), Apr.–Jun., 84
Rim vibration
Structure-borne vibration transmission in a tire and wheel assembly (Lee, Pham, and Moore), Jul.–Sep., 173
Riva, G: *see* Orjela, G., Riva, G., and Fiorentini, F.
Rolling resistance
Electric vehicle traction and rolling resistance in winter (Shoop), Apr.–Jun., 64
Rolling tire
A material model for simulating the hysteretic behavior of filled rubber for rolling tires (Becker, Dorsch, Kaliske, and Rothert), Jul.–Sep., 132
Rotational objectivity
Transient dynamics of a tire rolling over small obstacles—A finite element approach with PAM-SHOCK (Kamoulakos and Kao), Apr.–Jun., 84

Rothert, H.: *see* Becker, A., Dorsch, V., Kaliske, M., and Rothert, H.

S

Sárközi, L.: *see* Fodor, E., Kriston, S., Nándori, F., Sárközi, L., and Szabó, T.

Shiratori, M: *see* Koishi, M., Kabe, K., and Shiratori, M.

Shoop, S.: Electric vehicle traction and rolling resistance in winter, Apr.–Jun., 64

Sound generation
Tread pitch arrangement optimization through the use of a genetic algorithm (Hoffmeister and Bernard), Jan.–Mar., 2

Sound spectra prediction
Tread pitch arrangement optimization through the use of a genetic algorithm (Hoffmeister and Bernard), Jan.–Mar., 2

Statistical energy analysis
Structure-borne vibration transmission in a tire and wheel assembly (Lee, Pham, and Moore), Jul.–Sep., 173

Stress-wave-factors
A prototype instrument to evaluate fatigue damage in the sidewalls of steel-belted radial truck tires (dos Reis and Golko), Jan.–Mar., 36

Suzuki, T.: *see* Yamazaki, S., Fujikawa, T., Suzuki, T., and Yamaguchi, I.

Szabó, T.: *see* Fodor, E., Kriston, S., Nándori, F., Sárközi, L., and Szabó, T.

T

Takahashi, H.: *see* Takino, H., Takahashi, H., Yamano, K., and Kohjiya, S.

Takino, H., Isobe, N., Tobori, H., and Kohjiya, S.: Effect of cohesion loss factor on wet skid resistance of tread rubber, Oct.–Dec., 258

Takino, H., Takahashi, H., Yamano, K., and Kohjiya, S.: Effects of carbon black and process oil on viscoelastic properties and tire wet skid resistance, Oct.–Dec., 241

Tension-compression properties
The compression properties of tire reinforcements (Orjela, Riva, and Fiorentini), Oct.–Dec., 208

Time domain
A finite element tire model and vibration analysis: a new approach (Zhang, Palmer, and Farahani), Jul.–Sep., 149

Tire
A prototype instrument to evaluate fatigue damage in the sidewalls of steel-belted radial truck tires (dos Reis and Golko), Jan.–Mar., 36
Electric vehicle traction and rolling resistance in winter (Shoop), Apr.–Jun., 64
Effects of carbon black and process oil on viscoelastic properties and tire wet skid resistance (Takino, Takahashi, Yamano, and Kohjiya), Oct.–Dec., 241
Effect of cohesion loss factor on wet skid resistance of tread rubber, (Takino, Isobe, Tobori, and Kohjiya), Oct.–Dec., 258
Effects of sipes on the viscous hy-

droplaning of pneumatic tires (Lee), Jan.–Mar., 23
Tire bead overheating in urban buses and trucks using drum brake systems (Costa, Natalini, Inglese, and Xavier), Jan.–Mar., 51
Tire cornering simulation using an explicit finite element analysis code (Koishi, Kabe, and Shiratori), Apr.–Jun., 109
Transient dynamics of a tire rolling over small obstacles—A finite element approach with PAM-SHOCK (Kamoulakos and Kao), Apr.–Jun., 84
Tread pitch arrangement optimization through the use of a genetic algorithm (Hoffmeister and Bernard), Jan.–Mar., 2
Tire cavity noise
Structure-borne vibration transmission in a tire and wheel assembly (Lee, Pham, and Moore), Jul.–Sep., 173
Tire reinforcements
The compression properties of tire reinforcements (Orjela, Riva, and Fiorentini), Oct.–Dec., 208
Tire-road noise
Structure-borne vibration transmission in a tire and wheel assembly (Lee, Pham, and Moore), Jul.–Sep., 173
Tire torque
Influence of wheel alignment and tire characteristics on vehicle drift (Yamazaki, Fujikawa, Suzuki, and Yamaguchi), Jul.–Sep., 186
Tire vibration
Structure-borne vibration transmission in a tire and wheel assembly (Lee, Pham, and Moore), Jul.–Sep., 173
Tobori, H.: *see* Takino, H., Isobe, N., Tobori, H., and Kohjiya, S.
Toe angle
Influence of wheel alignment and tire characteristics on vehicle drift (Yamazaki, Fujikawa, Suzuki, and Yamaguchi), Jul.–Sep., 186
Traction
Electric vehicle traction and rolling resistance in winter (Shoop), Apr.–Jun., 64
Tread
Effect of cohesion loss factor on wet skid resistance of tread rubber, (Takino, Isobe, Tobori, and Kohjiya), Oct.–Dec., 258
Effects of sipes on the viscous hydroplaning of pneumatic tires (Lee), Jan.–Mar., 23
Tread pitch arrangement optimization through the use of a genetic algorithm (Hoffmeister and Bernard), Jan.–Mar., 2
Tread vibration
Structure-borne vibration transmission in a tire and wheel assembly (Lee, Pham, and Moore), Jul.–Sep., 173
Treadwear
A new paint test for the quantitative evaluation of irregular wear (Chung, Lee, and Yu), Apr.–Jun., 120

V

Vehicle drift
Influence of wheel alignment and tire characteristics on vehicle

drift (Yamazaki, Fujikawa, Suzuki, and Yamaguchi), Jul.–Sep., 186
Vibration mode
A finite element tire model and vibration analysis: a new approach (Zhang, Palmer, and Farahani), Jul.–Sep., 149
Viscoelastic constitutive law
A material model for simulating the hysteretic behavior of filled rubber for rolling tires (Becker, Dorsch, Kaliske, and Rothert), Jul.–Sep., 132
Viscoelastic property
Effects of carbon black and process oil on viscoelastic properties and tire wet skid resistance (Takino, Takahashi, Yamano, and Kohjiya), Oct.–Dec., 241
Viscous hydroplaning
Effects of sipes on the viscous hydroplaning of pneumatic tires (Lee), Jan.–Mar., 23

W

Wear
A material model for simulating the hysteretic behavior of filled rubber for rolling tires (Becker, Dorsch, Kaliske, and Rothert), Jul.–Sep., 132
Wet skid resistance
Effects of carbon black and process oil on viscoelastic properties and tire wet skid resistance (Takino, Takahashi, Yamano, and Kohjiya), Oct.–Dec., 241
Effect of cohesion loss factor on wet skid resistance of tread rubber, (Takino, Isobe, Tobori, and Kohjiya), Oct.–Dec., 258
Wet traction
Effects of sipes on the viscous hydroplaning of pneumatic tires (Lee), Jan.–Mar., 23
Wheel alignment
A new paint test for the quantitative evaluation of irregular wear (Chung, Lee, and Yu), Apr.–Jun., 120
Influence of wheel alignment and tire characteristics on vehicle drift (Yamazaki, Fujikawa, Suzuki, and Yamaguchi), Jul.–Sep., 186
Winter tire
Electric vehicle traction and rolling resistance in winter (Shoop), Apr.–Jun., 64

X

Xavier, O. A. M.: *see* Costa, A. L. A., Natalini, M., Inglese, M. F., and Xavier, O. A. M.

Y

Yamaguchi, I.: *see* Yamazaki, S., Fujikawa, T., Suzuki, T., and Yamaguchi, I.
Yamano, K.: *see* Takino, H., Takahashi, H., Yamano, K., and Kohjiya, S.
Yamazaki, S., Fujikawa, T., Suzuki, T., and Yamaguchi, I.: Influence of wheel alignment and tire characteristics on vehicle drift, Jul.–Sep., 186
Yu, H. J.: *see* Chung, S. R., Lee, K. S., and Yu, H. J.

Z

Zhang, Y., Palmer, T., and Farahani, A.:
A finite element tire model and vibration analysis: a new approach, Jul.–Sep., 149

Zipper effect
A prototype instrument to evaluate fatigue damage in the sidewalls of steel-belted radial truck tires (dos Reis and Golko), Jan.–Mar., 36